

OLYMPUS ABRASIVES

A37F Film with Velcro backing abrasive



Specifications & application:

The backing of A37F is polyester film, with perfect flat surface and high strength. It can be used for both wet and dry application . Provides fast cutting and long lasting life and reduce work time. A37F can be used as Velcro and PSA disc, and also suitable for different curved surfaces and paint polishing. Adopting the special treated high grade grain, semi-open strew grain technology and partial grits have special anti-clogging steared coating. Which can prevent clogging and stick efficiently. Excellent for contour sanding without folding ,especially suitable for sanding auto putty and primer. Also for wood grinding .

Specifications:

type	grain	backing	bond	grit size															form				
				60	80	100	120	150	180	220	280	350	400	500	600	800	1000	1200	1500	2000	sheet	roll	belt
A37F	A	PET	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●		●

OLYMPUS ABRASIVES

A50M CERAMIC abrasives with Velcro backing



Specifications & application:

Purple color A50M using special paper and abrasive grain, adopting advanced technology makes the product with the new appearance purple color. Longer life than traditional dry paper. This product combines excellent dust removal and fast cutting, long lasting abrasive for higher productivity and lower cycle times. Has high efficiency and long life and special coating makes anti clogging effect. Purple color A50M is mainly used in automotive market, paint, putty, glass fiber and reinforced plastic, Primer filler and so on. It also has the good extensibility. It can be converted into velcro disc and paper roll.

Specifications:

type	grain	backing	bond	grit size													form			
				40	60	80	100	120	150	180	220	240	320	400	600	800	sheet	roll	belt	disc
A50M	A	Cwt	R/R		•	•	•	•	•	•	•	•	•	•	•			•		•

